

CASP8

Reactivity:Human Mouse

Tested applications:WB

Recommended Dilution:WB 1:500 - 1:2000

Calculated MW:62kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human CASP8

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

bis

Synonym:

ALPS2B; CAP4; Casp-8; FLICE; FLJ17672; MACH; MCH5; MGC78473; Caspase8;

Catalog #:A0215

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:841

Isotype:IgG

Swiss Prot:Q14790

Purity:Affinity purification

For research use only.

Background:

Apoptosis induced through the CD95 receptor (Fas/APO-1) and tumor necrosis factor receptor 1 (TNFR1) activates caspase-8 and leads to the release of the caspase-8 active fragments, p18 and p10 (1-3). Activated caspase-8 cleaves and activates downstream effector caspases such as caspase-1, -3, -6, and -7. Caspase-3 ultimately elicits the morphological hallmarks of apoptosis, including DNA fragmentation and cell shrinkage.

To place an order, please [Click HERE](#).