Purity: Affinity purification

For research use only.

www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

CEBPB

Reactivity: Human Mouse

Tested applications:WB

Recommended Dilution: WB 1:500 - 1:1000

Calculated MW:36kDa

Observed MW:Refer to Figures

Immunogen:

A synthetic peptide of human CEBPB

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Synonym:

LAP; CRP2; TCF5; IL6DBP; NF-IL6; C/EBP-beta;

Background:

The protein encoded by this intronless gene is a bZIP transcription factor which can bind as a homodimer to certain DNA regulatory regions. It can also form heterodimers with the related proteins CEBP-alpha, CEBP-delta, and CEBP-gamma. The encoded protein is important in the regulation of genes involved in immune and inflammatory responses and has been shown to bind to the IL-1 response element in the IL-6 gene, as well as to regulatory regions of several acute-phase and cytokine genes. In addition, the encoded protein can bind the promoter and upstream element and stimulate the expression of the collagen type I gene.

To place an order, please Click HERE.





