www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

LEF1

Reactivity: Human

Tested applications:WB

Recommended Dilution: WB 1:200 - 1:2000

Calculated MW:37kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human LEF1

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Concentration:

kt

Synonym:

KFZp586H0919; TCF1ALPHA

Background:

Lymphoid enhancer-binding factor 1(LEF1) belongs to a family of regulatory protein share homology with high mobility group protein-1, and it's a nuclear protein exprssed in pre-B and T cells. LEF1 has a role in the Wnt signaling pathway and hair cell differentiation and follicle morphogenesis. Together with CTNNB1 and EP300, LEF1 activates transcription of target genes. Isoform 5 transcriptionally activates the fibronectin promoter, binds to and represses transcription from the E-cadherin promoter in a CTNNB1-independent manner, and is involved in reducing cellular aggregation and increasing cell migration of pancreatic cancer cells. Isoform 1 transcriptionally activates MYC and CCND1 expression and enhances proliferation of pancreatic tumor cells

To place an order, please Click HERE.

Catalog #:A0909

Antibody Type:

Polyclonal Antibody

Species: Rabbit

Gene ID:51176

Isotype:IgG Swiss Prot:Q9UJU2

Purity: Affinity purification

For research use only.





