

## CAV2

**Reactivity:** Human

**Tested applications:** WB IHC ICC IF IP

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:50 - 1:200 ICC 1:50 - 1:200 IF 1:50 - 1:100  
IP 1:20 - 1:50

**Calculated MW:** 20 kDa

**Observed MW:** Refer to figures

**Immunogen:**

Recombinant protein of human CAV2

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

CAV;

**Catalog #:** A10780

**Antibody Type:**

Monoclonal Antibody

**Species:** Rabbit

**Gene ID:** 858

**Isotype:** IgG

**Swiss Prot:** P51636

**Purity:** Affinity purification

For research use only.

**Background:**

The protein encoded by this gene is a major component of the inner surface of caveolae, small invaginations of the plasma membrane, and is involved in essential cellular functions, including signal transduction, lipid metabolism, cellular growth control and apoptosis. This protein may function as a tumor suppressor. This gene and related family member (CAV1) are located next to each other on chromosome 7, and express colocalizing proteins that form a stable hetero-oligomeric complex. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene. Additional isoforms resulting from the use of alternate in-frame translation initiation codons have also been described, and shown to have preferential localization in the cell (PMID:11238462).

**To place an order, please [Click HERE](#).**