

MAP3K7

Reactivity:Human Mouse Rat

Tested applications:WB IF IP

Recommended Dilution:WB 1:500 - 1:1000 IF 1:50- 1:500 IP 1:20- 1:100

Calculated MW:67kDa

Observed MW:Refer to Figures

Immunogen:

A synthetic Peptide of human MAP3K7

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

TAK1; MEKK7; TGF1a

Catalog #:A11084

Antibody Type:

Monoclonal Antibody

Species:Mouse

Gene ID:6885

Isotype:IgG

Swiss Prot:O43318

Purity:Affinity purification

For research use only.

Background:

The protein encoded by this gene is a member of the serine/threonine protein kinase family. This kinase mediates the signaling transduction induced by TGF beta and morphogenetic protein (BMP), and controls a variety of cell functions including transcription regulation and apoptosis. In response to IL-1, this protein forms a kinase complex including TRAF6, MAP3K7P1/TAB1 and MAP3K7P2/TAB2; this complex is required for the activation of nuclear factor kappa B. This kinase can also activate MAPK8/JNK, MAP2K4/MKK4, and thus plays a role in the cell response to environmental stresses. Four alternatively spliced transcript variants encoding distinct isoforms have been reported.

To place an order, please [Click HERE](#).