www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## Caspase3

Reactivity:Human

Tested applications:WB IF

Recommended Dilution:WB 1:500 - 1:2000 IF 1:50 - 1:200 Calculated MW:32kDa Observed MW:Refer to Figures Immunogen: Recombinant protein of human Caspase3 Storage Buffer: Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Synonym:

CASP3;CPP32;CPP32B;SCA-1;Caspase-3;APOPAIN;

## Background:

Caspase-3 (CPP-32, Apoptain, Yama, SCA-1) is a critical executioner of apoptosis, as it is either partially or totally responsible for the proteolytic cleavage of many key proteins such as the nuclear enzyme poly(ADP-ribose) polymerase (PARP) (1). Activation of caspase-3 requires proteolytic processing of its inactive zymogen into activated p17 and p12 fragments. Cleavage of caspase-3 requires aspartic acid at the P1 position (2).

To place an order, please Click HERE.



Catalog #:A11319 Antibody Type: Polyclonal Antibody Species:Rabbit Gene ID:836 Isotype:IgG Swiss Prot:P42574 Purity:Affinity purification

For research use only.



