

RHEB

Reactivity:Human Mouse Rat

Tested applications:WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:20kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human RHEB

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

RHEB;MGC111559;RHEB2 ;

Catalog #:A1165

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:6009

Isotype:IgG

Swiss Prot:Q15382

Purity:Affinity purification

For research use only.

Background:

Rheb (Ras Homolog Enriched in Brain) is an evolutionarily conserved member of the Ras family of small GTP-binding proteins originally found to be rapidly induced by synaptic activity in the hippocampus following seizure (1). While it is expressed at relatively high levels in the brain, Rheb is widely expressed in other tissues and may be induced by growth factor stimulation. Like other family members, Rheb triggers activation of the Raf-MEK-MAPK pathway (2). Biochemical and genetic studies demonstrate that Rheb has an important role in regulating the insulin/TOR signaling pathway (3-6). The mammalian target of rapamycin, mTOR, is a serine/threonine protein kinase that acts as a sensor for ATP and amino acids, balancing the availability of nutrients with translation and cell growth. The tuberin/hamartin (TSC2/TSC1) complex inhibits mTOR activity indirectly by inhibiting Rheb via tuberin's GAP activity (7).

To place an order, please [Click HERE](#).