

## C1QA

**Reactivity:** Human Mouse

**Tested applications:** WB IHC

**Recommended Dilution:** WB 1:500 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:** 26kDa

**Observed MW:** Refer to figures

**Immunogen:**

Recombinant protein of human C1QA

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Catalog #:** A1821

**Antibody Type:**

Polyclonal Antibody

**Species:** Rabbit

**Gene ID:** 712

**Isotype:** IgG

**Swiss Prot:** P02745

**Purity:** Affinity purification

For research use only.

**Background:**

This gene encodes a major constituent of the human complement subcomponent C1q. C1q associates with C1r and C1s in order to yield the first component of the serum complement system. Deficiency of C1q has been associated with lupus erythematosus and glomerulonephritis. C1q is composed of 18 polypeptide chains: six A-chains, six B-chains, and six C-chains. Each chain contains a collagen-like region located near the N terminus and a C-terminal globular region. The A-, B-, and C-chains are arranged in the order A-C-B on chromosome 1. This gene encodes the A-chain polypeptide of human complement subcomponent C1q.

*To place an order, please [Click HERE](#).*