

CDK2

Reactivity:Human

Tested applications:WB IHC

Recommended Dilution:WB 1:200 - 1:2000 IHC 1:50 - 1:200

Calculated MW:33kDa

Observed MW:Refer to Figures

Immunogen:

A synthetic peptide of human CDK2

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

df

Synonym:

p33;

Catalog #:A2254

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:1017

Isotype:IgG

Swiss Prot:P24941

Purity:Affinity purification

For research use only.

Background:

The protein encoded by this gene is a member of the Ser/Thr protein kinase family. This protein kinase is highly similar to the gene products of *S. cerevisiae* cdc28, and *S. pombe* cdc2. It is a catalytic subunit of the cyclin-dependent protein kinase complex, whose activity is restricted to the G1-S phase, and essential for cell cycle G1/S phase transition. This protein associates with and regulated by the regulatory subunits of the complex including cyclin A or E, CDK inhibitor p21Cip1 (CDKN1A) and p27Kip1 (CDKN1B). Its activity is also regulated by its protein phosphorylation. Two alternatively spliced variants and multiple transcription initiation sites of this gene have been reported.

To place an order, please [Click HERE](#).