

## NAB2

---

**Reactivity:**Human

**Tested applications:**WB

**Recommended Dilution:**WB 1:500 - 1:2000

**Calculated MW:**57kDa

**Observed MW:**Refer to figures

**Immunogen:**

A synthetic peptide of human NAB2

**Storage Buffer:**

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:**

f

**Synonym:**

MADER;

**Catalog #:**A2266

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**4665

**Isotype:**IgG

**Swiss Prot:**Q15742

**Purity:**Affinity purification

For research use only.

**Background:**

This gene encodes a member of the family of NGFI-A binding (NAB) proteins, which function in the nucleus to repress transcription induced by some members of the EGR (early growth response) family of transactivators. NAB proteins can homo- or hetero-multimerize with other EGR or NAB proteins through a conserved N-terminal domain, and repress transcription through two partially redundant C-terminal domains. Transcriptional repression by the encoded protein is mediated in part by interactions with the nucleosome remodeling and deacetylase (NuRD) complex. Alternatively spliced transcript variants have been described, but their biological validity has not been determined.

**To place an order, please [Click HERE](#).**