

SF3B3

Reactivity:Human

Tested applications:WB

Recommended Dilution:WB 1:1000 - 1:2000

Calculated MW:136kDa

Observed MW:Refer to figures

Immunogen:

A synthetic peptide of human SF3B3

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

f

Synonym:

RSE1; SAP130; SF3b130; STAF130;

Catalog #:A2304

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:23450

Isotype:IgG

Swiss Prot:Q15393

Purity:Affinity purification

For research use only.

Background:

This gene encodes subunit 3 of the splicing factor 3b protein complex. Splicing factor 3b, together with splicing factor 3a and a 12S RNA unit, forms the U2 small nuclear ribonucleoproteins complex (U2 snRNP). The splicing factor 3b/3a complex binds pre-mRNA upstream of the intron's branch site in a sequence independent manner and may anchor the U2 snRNP to the pre-mRNA. Splicing factor 3b is also a component of the minor U12-type spliceosome. Subunit 3 has also been identified as a component of the STAGA (SPT3-TAF(II)31-GCN5L acetylase) transcription coactivator-HAT (histone acetyltransferase) complex, and the TFTC (TATA-binding-protein-free TAF(II)-containing complex). These complexes may function in chromatin modification, transcription, splicing, and DNA repair.

To place an order, please [Click HERE](#).