www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

CLEC4D

Reactivity:Human

Tested applications:WB IHC

Recommended Dilution:WB 1:1000 - 1:4000 IHC 1:50 - 1:200 Calculated MW:25kDa Observed MW:Refer to Figures Immunogen: Recombinant protein of human CLEC4D Storage Buffer: Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3. Synonym:

MCL; MPCL; CLEC6; CLEC-6; CLECSF8;

Background:

This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. This gene is closely linked to other CTL/CTLD superfamily members on chromosome 12p13 in the natural killer gene complex region. [provided by RefSeq, Jul 2008]

To place an order, please Click HERE.



Catalog #:A2697 Antibody Type: Polyclonal Antibody Species:Rabbit Gene ID:338339 Isotype:IgG Swiss Prot:Q8WXI8 Purity:Affinity purification

For research use only.



