

DUSP8

Reactivity:Human

Tested applications:WB

Recommended Dilution:WB 1:200 - 1:1000

Calculated MW:66kDa

Observed MW:Refer to figures

Immunogen:

A synthetic peptide of human DUSP8

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

HB5; HVH8; HVH-5; C11orf81;

Background:

The protein encoded by this gene is a member of the dual specificity protein phosphatase subfamily. These phosphatases inactivate their target kinases by dephosphorylating both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the mitogen-activated protein (MAP) kinase superfamily (MAPK/ERK, SAPK/JNK, p38), which is associated with cellular proliferation and differentiation. Different members of the family of dual specificity phosphatases show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular localization, and different modes of inducibility of their expression by extracellular stimuli. This gene product inactivates SAPK/JNK and p38, is expressed predominantly in the adult brain, heart, and skeletal muscle, is localized in the cytoplasm, and is induced by nerve growth factor and insulin. An intronless pseudogene for DUSP8 is present on chromosome 10q11.2.

To place an order, please [Click HERE](#).

Catalog #:A2918

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:1850

Isotype:IgG

Swiss Prot:Q13202

Purity:Affinity purification

For research use only.