

## SSTR2

---

**Reactivity:**Human Mouse Rat

**Tested applications:**WB IHC

**Recommended Dilution:**WB 1:500 - 1:1000 IHC 1:50 - 1:100

**Calculated MW:**41kDa

**Observed MW:**Refer to Figures

**Immunogen:**

A synthetic peptide of human SSTR2

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

SSTR2 ; somatostatin receptor 2; SS 2 R; SS2R; SRIF 1; SS2 R;

**Background:**

Somatostatin acts at many sites to inhibit the release of many hormones and other secretory proteins. The biologic effects of somatostatin are probably mediated by a family of G protein-coupled receptors that are expressed in a tissue-specific manner. SSTR2 is a member of the superfamily of receptors having seven transmembrane segments and is expressed in highest levels in cerebrum and kidney. [provided by RefSeq, Jul 2008]

*To place an order, please [Click HERE](#).*

**Catalog #:**A3135

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**6752

**Isotype:**IgG

**Swiss Prot:**P30874

**Purity:**Affinity purification

For research use only.