

PDHB

Reactivity:Human Mouse Rat

Tested applications:WB IHC IP

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:20 - 1:200 IP 1:20 - 1:50

Calculated MW:39kDa

Observed MW:Refer to figures

Immunogen:

A synthetic Peptide of human PDHB

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

PDHBD; PHE1B; PDHE1-B;

Catalog #:A4011

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:5162

Isotype:IgG

Swiss Prot:P11177

Purity:Affinity purification

For research use only.

Background:

The pyruvate dehydrogenase (PDH) complex is a nuclear-encoded mitochondrial multienzyme complex that catalyzes the overall conversion of pyruvate to acetyl-CoA and carbon dioxide, and provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle. The PDH complex is composed of multiple copies of three enzymatic components: pyruvate dehydrogenase (E1), dihydrolipoamide acetyltransferase (E2) and lipoamide dehydrogenase (E3). The E1 enzyme is a heterotetramer of two alpha and two beta subunits. This gene encodes the E1 beta subunit.

Mutations in this gene are associated with pyruvate dehydrogenase E1-beta deficiency.

Alternatively spliced transcript variants have been found for this gene.

To place an order, please [Click HERE](#).