

SGCG

Reactivity:Human Mouse Rat

Tested applications:WB IHC IP

Recommended Dilution:WB 1:200 - 1:2000 IHC 1:20 - 1:200 IP 1:20 - 1:50

Calculated MW:32kDa

Observed MW:Refer to figures

Immunogen:

A synthetic Peptide of human SGCG

Storage Buffer:

Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

A4; MAM; DMDA; SCG3; TYPE; DAGA4; DMDA1; LGMD2C; SCARMD2;

Catalog #:A4110

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:6445

Isotype:IgG

Swiss Prot:Q13326

Purity:Affinity purification

For research use only.

Background:

This gene encodes gamma-sarcoglycan, one of several sarcolemmal transmembrane glycoproteins that interact with dystrophin. The dystrophin-glycoprotein complex (DGC) spans the sarcolemma and is comprised of dystrophin, syntrophin, alpha- and beta-dystroglycans and sarcoglycans. The DGC provides a structural link between the subsarcolemmal cytoskeleton and the extracellular matrix of muscle cells. Defects in the encoded protein can lead to early onset autosomal recessive muscular dystrophy, in particular limb-girdle muscular dystrophy, type 2C (LGMD2C).

To place an order, please [Click HERE](#).