

HADHA

Reactivity:Human Mouse Rat

Tested applications:WB IHC IF

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200

Calculated MW:83kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human HADHA

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

GBP; ECHA; HADH; LCEH; MTPA; LCHAD; TP-ALPHA;

Background:

This gene encodes the alpha subunit of the mitochondrial trifunctional protein, which catalyzes the last three steps of mitochondrial beta-oxidation of long chain fatty acids. The mitochondrial membrane-bound heterocomplex is composed of four alpha and four beta subunits, with the alpha subunit catalyzing the 3-hydroxyacyl-CoA dehydrogenase and enoyl-CoA hydratase activities.

Mutations in this gene result in trifunctional protein deficiency or LCHAD deficiency. The genes of the alpha and beta subunits of the mitochondrial trifunctional protein are located adjacent to each other in the human genome in a head-to-head orientation.

To place an order, please [Click HERE](#).

Catalog #:A5346

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:3030

Isotype:IgG

Swiss Prot:P40939

Purity:Affinity purification

For research use only.