

## RIPK3

**Reactivity:**Mouse

**Tested applications:**WB IHC

**Recommended Dilution:**WB 1:500 - 1:2000 IHC 1:50 - 1:200

**Calculated MW:**56kDa

**Observed MW:**Refer to Figures

**Immunogen:**

Recombinant protein of Human RIPK3

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:**

bp

**Synonym:**

RIP3;

**Catalog #:**A5431

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**11035

**Isotype:**IgG

**Swiss Prot:**E9PZP3

**Purity:**Affinity purification

For research use only.

**Background:**

The product of this gene is a member of the receptor-interacting protein (RIP) family of serine/threonine protein kinases, and contains a C-terminal domain unique from other RIP family members. The encoded protein is predominantly localized to the cytoplasm, and can undergo nucleocytoplasmic shuttling dependent on novel nuclear localization and export signals. It is a component of the tumor necrosis factor (TNF) receptor-I signaling complex, and can induce apoptosis and weakly activate the NF-kappaB transcription factor.

**To place an order, please [Click HERE](#).**