www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## DHX9

## Reactivity:Human

Tested applications:WB IHC IF

Recommended Dilution:WB 1:1000 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200 Calculated MW:141kDa Observed MW:Refer to Figures Immunogen: A synthetic peptide of human DHX9 Storage Buffer: Store at 4. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3. **Concentration:** i Synonym:

LKP; RHA; DDX9; NDH2; NDHII;

## Background:

This gene encodes a member of the DEAH-containing family of RNA helicases. The encoded protein is an enzyme that catalyzes the ATP-dependent unwinding of double-stranded RNA and DNA-RNA complexes. This protein localizes to both the nucleus and the cytoplasm and functions as a transcriptional regulator. This protein may also be involved in the expression and nuclear export of retroviral RNAs. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 11 and 13.

To place an order, please Click HERE.



Catalog #:A5585 Antibody Type: Polyclonal Antibody Species:Rabbit Gene ID:1660 Isotype:IgG Swiss Prot:Q08211 Purity: Affinity purification

For research use only.



