

BEST1

Reactivity:Human Mouse

Tested applications:WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:67kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human BEST1

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

g

Synonym:

ARB; BMD; BEST; RP50; VMD2; TU15B;

Catalog #:A5735

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:7439

Isotype:IgG

Swiss Prot:O76090

Purity:Affinity purification

For research use only.

Background:

This gene encodes a member of the bestrophin gene family. This small gene family is characterized by proteins with a highly conserved N-terminus with four to six transmembrane domains. Bestrophins may form chloride ion channels or may regulate voltage-gated L-type calcium-ion channels. Bestrophins are generally believed to form calcium-activated chloride-ion channels in epithelial cells but they have also been shown to be highly permeable to bicarbonate ion transport in retinal tissue. Mutations in this gene are responsible for juvenile-onset vitelliform macular dystrophy (VMD2), also known as Best macular dystrophy, in addition to adult-onset vitelliform macular dystrophy (AVMD) and other retinopathies. Alternative splicing results in multiple variants encoding distinct isoforms.

To place an order, please [Click HERE](#).