

MSLN

Reactivity:Human

Tested applications:WB IHC IF

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:10 - 1:100

Calculated MW:68kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human MSLN

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

MPF; SMRP;

Catalog #:A6183

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:10232

Isotype:IgG

Swiss Prot:Q13421

Purity:Affinity purification

For research use only.

Background:

This gene encodes a precursor protein that is cleaved into two products, megakaryocyte potentiating factor and mesothelin. Megakaryocyte potentiation factor functions as a cytokine that can stimulate colony formation in bone marrow megakaryocytes. Mesothelin is a glycosylphosphatidylinositol-anchored cell-surface protein that may function as a cell adhesion protein. This protein is overexpressed in epithelial mesotheliomas, ovarian cancers and in specific squamous cell carcinomas. Alternative splicing results in multiple transcript variants.

To place an order, please [Click HERE](#).