

CCL25

Reactivity:Human

Tested applications:WB IHC IF

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:100 - 1:200 IF 1:50 - 1:100

Calculated MW:16kDa

Observed MW:Refer to Figures

Immunogen:

Recombinant protein of human CCL25

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

TECK; Ckb15; SCYA25;

Catalog #:A6543

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:6370

Isotype:IgG

Swiss Prot:O15444

Purity:Affinity purification

For research use only.

Background:

This antimicrobial gene belongs to the subfamily of small cytokine CC genes. Cytokines are a family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The cytokine encoded by this gene displays chemotactic activity for dendritic cells, thymocytes, and activated macrophages but is inactive on peripheral blood lymphocytes and neutrophils. The product of this gene binds to chemokine receptor CCR9. Alternative splicing results in multiple transcript variants.

To place an order, please [Click HERE](#).