

## NFATC3

---

**Reactivity:**Human Mouse

**Tested applications:**WB IHC IF

**Recommended Dilution:**WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200

**Calculated MW:**115kDa

**Observed MW:**Refer to figures

**Immunogen:**

Recombinant protein of human NFATC3

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

NFAT4; NFATX;

**Catalog #:**A6666

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**4775

**Isotype:**IgG

**Swiss Prot:**Q12968

**Purity:**Affinity purification

For research use only.

**Background:**

The product of this gene is a member of the nuclear factors of activated T cells DNA-binding transcription complex. This complex consists of at least two components: a preexisting cytosolic component that translocates to the nucleus upon T cell receptor (TCR) stimulation and an inducible nuclear component. Other members of this family participate to form this complex also. The product of this gene plays a role in the regulation of gene expression in T cells and immature thymocytes. Several transcript variants encoding distinct isoforms have been identified for this gene.

*To place an order, please [Click HERE](#).*