

## HIST1H3D

**Reactivity:**Human Mouse Rat

**Tested applications:**WB IHC IF

**Recommended Dilution:**WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:100

**Calculated MW:**15kDa

**Observed MW:**Refer to figures

**Immunogen:**

Recombinant protein of human HIST1H3D

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Synonym:**

H3/b; H3FB;

**Catalog #:**A7010

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**8351

**Isotype:**IgG

**Swiss Prot:**P68431

**Purity:**Affinity purification

For research use only.

**Background:**

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6.

**To place an order, please [Click HERE](#).**