

STAM2

Reactivity:Human Mouse Rat

Tested applications:WB IHC IF

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:100

Calculated MW:58kDa

Observed MW:Refer to figures

Immunogen:

Recombinant protein of human STAM2

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

Hbp; STAM2A; STAM2B;

Catalog #:A7058

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:10254

Isotype:IgG

Swiss Prot:O75886

Purity:Affinity purification

For research use only.

Background:

The protein encoded by this gene is closely related to STAM, an adaptor protein involved in the downstream signaling of cytokine receptors, both of which contain a SH3 domain and the immunoreceptor tyrosine-based activation motif (ITAM). Similar to STAM, this protein acts downstream of JAK kinases, and is phosphorylated in response to cytokine stimulation. This protein and STAM thus are thought to exhibit compensatory effects on the signaling pathway downstream of JAK kinases upon cytokine stimulation.

To place an order, please [Click HERE](#).