www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## WIPI2

Reactivity: Human Mouse Rat

Tested applications: WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:49kDa

Observed MW:Refer to figures

Immunogen:

Recombinant protein of human WIPI2

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Synonym:

Atg21; ATG18B; CGI-50; WIPI-2;

Antibody Type:

Polyclonal Antibody

Species: Rabbit

Gene ID:26100

Isotype:lgG

Swiss Prot:Q9Y4P8

Purity: Affinity purification

For research use only.

## Background:

WD40 repeat proteins are key components of many essential biologic functions. They regulate the assembly of multiprotein complexes by presenting a beta-propeller platform for simultaneous and reversible protein-protein interactions. Members of the WIPI subfamily of WD40 repeat proteins, such as WIPI2, have a 7-bladed propeller structure and contain a conserved motif for interaction with phospholipids.

To place an order, please Click HERE.



