www.neobiolab.com
info@neobiolab.com
888.754.5670, +1 617.500.7103 United States
0800.088.5164, +44 020.8123.1558 United Kingdom

HIF2a

Reactivity: Human

Tested applications:WB IF

Recommended Dilution:WB 1:500 - 1:2000 IF 1:50 - 1:100

Calculated MW:96kDa

Observed MW: Refer to figures

Immunogen:

Recombinant Protein of human HIF2a

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

HLF; MOP2; ECYT4; HIF2A; PASD2; bHLHe73;

Catalog #:A7553

Antibody Type:

Polyclonal Antibody

Species: Rabbit

Gene ID:2034

Isotype: IgG

Swiss Prot:Q99814

Purity: Affinity purification

For research use only.

Background:

This gene encodes a transcription factor involved in the induction of genes regulated by oxygen, which is induced as oxygen levels fall. The encoded protein contains a basic-helix-loop-helix domain protein dimerization domain as well as a domain found in proteins in signal transduction pathways which respond to oxygen levels. Mutations in this gene are associated with erythrocytosis familial type 4.

To place an order, please Click HERE.

© 2015 NeoScientific