

HLA-G

Reactivity:Human

Tested applications:WB

Recommended Dilution:WB 1:500 - 1:2000

Calculated MW:38kDa

Observed MW:Refer to figures

Immunogen:

Recombinant protein of human HLA-G

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

MHC-G;

Catalog #:A7557

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:3135

Isotype:IgG

Swiss Prot:P17693

Purity:Affinity purification

For research use only.

Background:

HLA-G belongs to the HLA class I heavy chain paralogues. This class I molecule is a heterodimer consisting of a heavy chain and a light chain (beta-2 microglobulin). The heavy chain is anchored in the membrane. HLA-G is expressed on fetal derived placental cells. The heavy chain is approximately 45 kDa and its gene contains 8 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the alpha1 and alpha2 domain, which both bind the peptide, exon 4 encodes the alpha3 domain, exon 5 encodes the transmembrane region, and exon 6 encodes the cytoplasmic tail.

To place an order, please [Click HERE](#).