

TNFRSF8

Reactivity:Human

Tested applications:WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:64kDa

Observed MW:Refer to figures

Immunogen:

A synthetic peptide of human TNFRSF8

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

CD30; Ki-1; D1S166E;

Catalog #:A7651

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:943

Isotype:IgG

Swiss Prot:P28908

Purity:Affinity purification

For research use only.

Background:

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed by activated, but not by resting, T and B cells. TRAF2 and TRAF5 can interact with this receptor, and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis, and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported.

To place an order, please [Click HERE](#).