

## HIF1A

**Reactivity:**Human

**Tested applications:**WB

**Recommended Dilution:**WB 1:500 - 1:2000

**Calculated MW:**93kDa

**Observed MW:**Refer to Figures

**Immunogen:**

A synthetic peptide of human HIF1A

**Storage Buffer:**

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Concentration:**

k

**Synonym:**

HIF1; MOP1; PASD8; HIF-1A; bHLHe78; HIF-1alpha; HIF1-ALPHA;

**Catalog #:**A7684

**Antibody Type:**

Polyclonal Antibody

**Species:**Rabbit

**Gene ID:**3091

**Isotype:**IgG

**Swiss Prot:**Q16665

**Purity:**Affinity purification

For research use only.

**Background:**

This gene encodes the alpha subunit of transcription factor hypoxia-inducible factor-1 (HIF-1), which is a heterodimer composed of an alpha and a beta subunit. HIF-1 functions as a master regulator of cellular and systemic homeostatic response to hypoxia by activating transcription of many genes, including those involved in energy metabolism, angiogenesis, apoptosis, and other genes whose protein products increase oxygen delivery or facilitate metabolic adaptation to hypoxia. HIF-1 thus plays an essential role in embryonic vascularization, tumor angiogenesis and pathophysiology of ischemic disease. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene.

*To place an order, please [Click HERE](#).*