

CD2AP

Reactivity:Human Mouse Rat

Tested applications:WB IHC

Recommended Dilution:WB 1:500 - 1:2000 IHC 1:50 - 1:200

Calculated MW:71kDa

Observed MW:Refer to figures

Immunogen:

A synthetic peptide of human CD2AP

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Synonym:

CMS;

Catalog #:A7788

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:23607

Isotype:IgG

Swiss Prot:Q9Y5K6

Purity:Affinity purification

For research use only.

Background:

This gene encodes a scaffolding molecule that regulates the actin cytoskeleton. The protein directly interacts with filamentous actin and a variety of cell membrane proteins through multiple actin binding sites, SH3 domains, and a proline-rich region containing binding sites for SH3 domains. The cytoplasmic protein localizes to membrane ruffles, lipid rafts, and the leading edges of cells. It is implicated in dynamic actin remodeling and membrane trafficking that occurs during receptor endocytosis and cytokinesis. Haploinsufficiency of this gene is implicated in susceptibility to glomerular disease.

To place an order, please [Click HERE](#).