www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

Phospho-IGF1R-Y1165/Y1166

Reactivity: Human Mouse Rat

Tested applications: WB IF

Recommended Dilution:WB 1:500 - 1:2000 IF 1:100 - 1:200

Calculated MW:155kDa

Observed MW:Refer to Figures

Immunogen:

A phospho specific peptide corresponding to residues surrounding Y1165/Y1166 of human IGF1R

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol,

pH7.3.

Concentration:

b

Synonym:

IGFR; CD221; IGFIR; JTK13;

Background:

This receptor binds insulin-like growth factor with a high affinity. It has tyrosine kinase activity. The insulin-like growth factor I receptor plays a critical role in transformation events. Cleavage of the precursor generates alpha and beta subunits. It is highly overexpressed in most malignant tissues where it functions as an anti-apoptotic agent by enhancing cell survival.

To place an order, please Click HERE.

Catalog #:AP0155

Antibody Type:

Polyclonal Antibody

Species:Rabbit

Gene ID:3480

Isotype:IgG

Swiss Prot:P08069

Purity: Affinity purification

For research use only.





