

IL 18 Human, His

Description: Interleukin-18 Human Recombinant produced in E.Coli is a single, non-glycosylated, Polypeptide chain containing 157 amino acids fragment (37-193) having a molecular weight of 20kDa and fused with a 4.5kDa amino-terminal hexahistidine tag. The IL-18 His is purified by proprietary chromatographic techniques.

Catalog #: CYP5-670

For research use only.

Synonyms: Interferon-gamma-inducing factor, IGIF, IL-1g, IL-18, IL1F4, MGC12320, IFN-gamma-inducing factor, Interleukin-1 gamma, IL-1 gamma, Ibctadekin, IL18.

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered clear solution.

Purity: Greater than 95.0% as determined by SDS-PAGE.

Formulation:

Interleukin -18 His-Tag protein is supplied in 20mM Tris-HCl pH-8 and 50% glycerol.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. Please avoid freeze thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

IL-18 is a proinflammatory cytokine. This cytokine can induce the IFN-gamma production of T cells. The combination of this cytokine and IL12 has been shown to inhibit IL4 dependent IgE and IgG1 production, and enhance IgG2a production of B cells. IL-18 binding protein (IL18BP) can specifically interact with this cytokine, and thus negatively regulate its biological activity.

To place an order, please [Click HERE](#).