www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

PPP3R1 Human

Description: PPP3R1 produced in E.Coli is a single, non-glycosylated polypeptide chain containing 190 amino acids (1-170.a.a) and having a molecular mass of 21.5kDa. PPP3R1 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #:ENPS-073

For research use only.

Synonyms: Protein phosphatase 3 regulatory subunit B alpha, CNB1, CALNB1, Protein phosphatase 3 (formerly 2B) regulatory subunit B (19kD) alpha isoform (calcineurin B type I), Calcineurin B type I (19kDa).

Source: Escherichia Coli.

Physical Appearance: Sterile filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGNEASYPLE MCSHFDADEI KRLGKRFKKL DLDNSGSLSV EEFMSLPELQ QNPLVQRVID IFDTDGNGEV DFKEFIEGVS QFSVKGDKEQ KLRFAFRIYD MDKDGYISNG ELFQVLKMMV GNNLKDTQLQ QIVDKTIINA DKDGDGRISF EEFCAVVGGL DIHKKMVVDV

Purity: Greater than 90% as determined by SDS-PAGE.

Formulation:

PPP3R1 Human solution (1mg/1ml) containing 20mM Trsi HCL pH-8, 0.1M NaCl, 2mM DTT and

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCHUSEONLY. They may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

PPP3R1 is a Ser/Thr-specific calcium and calmodulin-dependent protein phosphatase which takes a vital part in the T cell activation pathway. Calcineurin is composed of two subunits; calcineurin A (CnA) and calcineurin B (CnB). Dephosphorylation of the nuclear factor of activated T-cells (NF-AT) by Calcineurin is essential for NF-AT activation, nuclear translocation, and early gene expression in T-cells.

Storage:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time.Please avoid freeze thaw cycles.

To place an order, please Click HERE.





