

ALDOC Human

Description:ALDOC Human Recombinant fused to 20 amino acid His Tag at N-terminal produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 384 amino acids (1-364 a.a.) and having a molecular mass of 41.6 kDa. The ALDOC is purified by proprietary chromatographic techniques.

Catalog #:ENPS-092

For research use only.

Synonyms:Fructose-bisphosphate aldolase C, Brain-type aldolase, ALDOC, ALDC.

Source:Escherichia Coli.

Physical Appearance:Sterile Filtered clear colorless solution.

Amino Acid Sequence:MGSSHHHHHH SGLVPRGSH MPHSYPALSA EQKKELSDIA
LRIVAPGKGI LAADSVGSM AKRLSQIGVE NTEENRRLYR QVLFSADDRV KKCIGGVIFV
HETLYQKDDN GVPFVRTIQD KGIVVGIVKVD KGVVPLAGTD GETTTQGLDG LSERCAQYKK
DGADFAKWRC VLKISERTPS ALAILENANV LARYASICQQ NGIVPIVEPE ILPDGDHDLK
RCQYVTEKVL AA

Purity:Greater than 95.0% as determined by SDS-PAGE.

Formulation:

The ALDOC solution (1mg/ml) contains 20mM Tris-HCl buffer (pH 8.0), 10% glycerol, 2mM DTT and 0.1M NaCl.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Aldolase C Fructose-Bisphosphate (ALDOC) belongs to the class I fructose-bisphosphate aldolase family. ALDOC is a glycolytic enzyme which catalyzes the reversible aldol cleavage of fructose-1,6-bisphosphate and fructose 1-phosphate to dihydroxyacetone phosphate and either glyceraldehyde-3-phosphate or glyceraldehydes respectively. ALDOC is expressed exclusively in the hippocampus and Purkinje cells of the brain.

To place an order, please [Click HERE](#).