www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

SORD Human

Description: SORD Human Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 377 amino acids(1-357 a.a.) and having a molecular mass of 40.4 kDa. SORD protein is fused to a 20 amino acid His tag at N-terminus and is purified by standard chromatography.

Catalog #:ENPS-527

For research use only.

Synonyms: EC 1.1.1.14, SORD1, SORD, L-iditol 2-dehydrogenase, DHSO, Sorbitol Dehydrogenase.

Source: Escherichia Coli.

Physical Appearance: Sterile filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MAAAAKPNNL SLVVHGPGDL RLENYPIPEP GPNEVLLRMH SVGICGSDVH YWEYGRIGNF IVKKPMVLGH EASGTVEKVG SSVKHLKPGD RVAIEPGAPR ENDEFCKMGR YNLSPSIFFC ATPPDDGNLC RFYKHNAAFC YKLPDNVTFE EGALIEPLSV GIHACRRGGV TLGHKVLVCG AGPIGMVTLL VAKAMGAAQV VVTDLSATRL SK

Purity: Greater than 90% as determined by SDS-PAGE.

Formulation:

SORD Human solution containing 20mM Tris HCL pH-8, 0.2M NaCl, 5mM DTT & 20% glycerol.

Stability:

SORD Human although stable at 4°C for 1 week, should be stored desiccated below -18°C. Please prevent freeze thaw cycles.

Usage:

NeoBiolab's products are furnished forLABORATORY RESEARCHUSEONLY. They may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

SORD enzyme is part of of the zinc-containing alcohol dehydrogenase family that isbroadly expressed in kidney and in the lens eye. SORD enzymatically catalyzes the zinc-dependent interconversion of polyols, such as sorbitol and xylitol, to their respective ketoses.

To place an order, please Click HERE.





