www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## IdhA E. coli

Description: IdhA E.Coli Recombinant produced in E.coli is a single, non-glycosylated polypeptide chain containing 353 amino acids (1-329) and having a molecular mass of 39.1kDa.ldhA is fused to a 24 amino acid His-tag at N-terminus & amp; purified by proprietary chromatographic techniques.

Catalog #:ENPS-639

For research use only.

Synonyms: D-lactate dehydrogenase, D-LDH, Fermentative lactate dehydrogenase, ldhA, hsll, htpH, b1380, JW1375.

Source: E.coli.

Physical Appearance: Sterile Filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSHMKLAVY STKQYDKKYL QQVNESFGFE LEFFDFLLTE KTAKTANGCE AVCIFVNDDG SRPVLEELKK HGVKYIALRC AGFNNVDLDA AKELGLKVVR VPAYDPEAVA EHAIGMMMTL NRRIHRAYQR TRDANFSLEG LTGFTMYGKT AGVIGTGKIG VAMLRILKGF GMRLLAFDPY PSAAALELGV EYVDLPTLFS **ESDVISLHCPLT** 

Purity: Greater than 95% as determined by SDS-PAGE.

#### Formulation:

The IdhA solution (1mg/ml) contains 20mM Tris-HCl buffer, pH8.0, 10% glycerol and 100mM NaCl.

### Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

# Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

## Introduction:

D-lactate dehydrogenase (ldha) is a member of the D-isomer specific 2-hydroxyacid dehydrogenase family. In enzymology, an ldha (cytochrome) is an enzyme which catalyzes the chemical reaction. Therefore, the 2 substrates of the Idha enzyme are (D)-lactate and ferricytochrome c, whereas its 2 products are pyruvate and ferrocytochrome c.

To place an order, please Click HERE.





