

HIV-2 Protease

Description:HIV-2 protease is an active homodimer having a molecular mass of 10.7kDa.

Catalog #:HIPS-009

Source:Escherichia Coli.

For research use only.

Physical Appearance:Sterile filtered colorless clear solution.

Formulation:

The HIV-2 Protease solution (0.25mg/1ml) is formulated in 20mM Tris pH7.0, 20mM MES, 200mM NaCl, 1mM EDT, 0.5mM DTT, 0.05% PEG 8000and 10% glycerol.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time.Please avoid freeze thaw cycles.

Usage:

NeoBiolabs products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

HIV-2 protease is very significant in the life cycle of the HIV virus. It is expressed in the infected cells as a part of Gag-Pol polyprotein from which it is auto-catalytically released after formation of an immature viral particle. The enzyme subsequently cleaves the other parts of viral polyproteins resulting in the maturation of the virus. In HIV-infected patients the enzyme is subjected to intensive mutagenesis and mutants resistant to applied medicines are produced as a result of the selection pressure.

Storage:

20mM HEPES, pH7.0 and 10% Glycerol.

To place an order, please [Click HERE](#).