

HSPA5 Human, Hi-5

Description: HSPA5 produced in Hi-5 cells is a single, glycosylated polypeptide chain containing 640 amino acids (20-650 a.a.) and having a molecular mass of 71kDa. HSPA5 is fused to an 8 amino acid His Tag at C-Terminus and purified by proprietary chromatographic techniques.

Catalog #: HYP5-044

For research use only.

Synonyms: 78 kDa glucose-regulated protein, GRP-78, Endoplasmic reticulum luminal Ca(2+)-binding protein grp78, Heat shock 70 kDa protein 5, Immunoglobulin heavy chain-binding protein, BiP, HSPA5, GRP78, MIF2, FLJ26106.

Source: Hi-5 Cells.

Physical Appearance: Sterile filtered colorless solution.

Amino Acid Sequence: MEEDKKEDVG TVVGIDLGTT YSCVGVFKNG RVEIIANDQG
NRITPSYVAF TPEGERLIGD AAKNQLTSNP ENTVFDKRL IGRTWNPSPV QQDIKFLPFK
VVEKTKPYI QVDIGGGQTK TFAPEEISAM VLTMKKETAE AYLGKKVTHA VVTVPAYFND
AQRQATKDAG TIAGLNVMRI INEPTAAAIA YGLDKREGEK NILVFDLGGG TFDVSLLTID
NGVFEVVATN GD

Purity: Greater than 90.0% as determined by SDS-PAGE.

Formulation:

The HSPA5 protein solution (1mg/ml) 20mM Tris-HCl buffer (pH8.0), 10% glycerol, 2mM DTT and 200mM NaCl.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Binding immunoglobulin protein (BiP or HSPA5) is a member of the family of ~70kDa heat shock proteins (HSP 70). HSPA5 is a stress response protein which is induced by agents or conditions that adversely affect endoplasmic reticulum (ER) function. HSPA5 is crucial for the proper glycosylation, folding as well as for the maintenance of cell homeostasis and the prevention of apoptosis.

To place an order, please [Click HERE](#).