

MBL2 Human

Description: MBL2 Human Recombinant produced in E. coli is a single polypeptide chain containing 164 amino acids (108-248) and having a molecular mass of 18 kDa. MBL2 is fused to 23 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #: PRPS-1292

Synonyms: COLEC1, HSMBPC, MBL, MBL2D, MBP, MBP-C, MBP1, Mannose-binding protein C, Collectin-1, Mannan-binding protein, Mannose-binding lectin.

For research use only.

Source: E.coli.

Physical Appearance: Sterile Filtered colorless solution.

Amino Acid Sequence: MGSSHHHHH SSGLVPRGSH MGSAASERKA LQTEMARIKK
WLTFSLGKQV GNKFFLTNGE IMTFEKVKAL CVKFQASVAT PRNAAENGAI QNLIKEEAFI
GITDEKTEGQ FVDLTGNRLT YTNWNEGEPN NAGSDEDCVL LLKNGQWNDV PCSTSHLAVC
EFPI.

Purity: Greater than 90% as determined by SDS-PAGE.

Formulation:

The MBL2 solution (1mg/1ml) contains 20mM Tris-HCl buffer (pH 8.0), 2M Urea, 20% glycerol and 0.2M NaCl.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

Mannose-binding protein C (MBL2), belongs to the collectin family of pattern recognition molecules and is an important component in the innate immune system. MBL2 is a secreted glycoprotein which recognizes mannose and N-acetylglucosamine on various microorganisms, and is capable of activating the classical complement pathway. Lacking MBL2 has been associated with susceptibility to autoimmune and infectious diseases.

To place an order, please [Click HERE](#).