

BECN1 Human

Description: BECN1 Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 470 amino acids (1-450 a.a) and having a molecular mass of 54.1kDa. BECN1 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques.

Catalog #: PRPS-1296

For research use only.

Synonyms: ATG6, beclin1, VPS30, Coiled-coil myosin-like BCL2-interacting protein, Beclin-1, GT197.

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered clear solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MEGSKTSNNS TMQVSFVCQR
CSQPLKLDTS FKILDRVITQ ELTAPLLTTA QAKPGETQEE ETNSGEEPFI ETPRQDGVSR
RFIPPARMMS TESANSFTLI GEASDGGTME NLSRRLKVTG DLFDIMSGQT DVDHPLCEEC
TDTLLDQLDT QLNVTENECQ NYKRCLEILE QMNEDDSEQL QMELKELALE EERLIQELED
VEKNRKIVAE NL

Purity: Greater than 85.0% as determined by SDS-PAGE.

Formulation:

BECN1 protein solution (0.25 mg/ml) contains 20mM Tris-HCl buffer (pH 8.5), 0.1M NaCl, 10% glycerol and 1mM DTT.

Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. They may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Introduction:

BECN1, Beclin-1 and autophagy-related gene (Atg) 6, is a member of the beclin family. BECN1 has a key role in autophagy and antiviral host defense. Beclin-1 and its binding partner class III phosphoinositide 3-kinase (PI3K), also named Vps34, are vital for the initiation of the formation of the autophagosome in autophagy. Also it is required for the abscission step of cytokinesis.

To place an order, please [Click HERE](#).