www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

## **WLS Human**

Description: WLS Human Recombinant produced in E.Coli is a single, non-glycosylated polypeptide chain containing 155 amino acids (101-232a.a) and having a molecular mass of 7.8kDa. WLS is fused to a 23 amino acid His-tag at N-terminus & Durified by proprietary chromatographic techniques.

Catalog #:PRPS-1409

For research use only.

Synonyms:C1orf139, EVI, GPR177, MRP, Protein wntless homolog, Integral membrane protein GPR177, Protein evenness interrupted homolog, Putative NF-kappa-B-activating protein 373, WLS.

Source: E.coli.

Physical Appearance: Sterile Filtered colorless solution.

Amino Acid Sequence: MGSSHHHHHH SSGLVPRGSH MGSMEMSPWF QFMLFILQLD IAFKLNNQIR ENAEVSMDVS LAYRDDAFAE WTEMAHERVP RKLKCTFTSP KTPEHEGRYY ECDVLPFMEI GSVAHKFYLL NIRLPVNEKK KINVGIGEIK DIRLVGIHQN GGFTK.

Purity: Greater than 90% as determined by SDS-PAGE.

### Formulation:

WLS protein solution (1mg/ml) containing 20mM Tris-HCl buffer (pH 8.0),0.4M Urea and 10% glycerol.

# Stability:

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

## Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

## Introduction:

WLS (Wnt trafficking regulator) is a multipass transmembrane protein which regulates the sorting and secretion of Wnt protein. WLS is necessitated for organogenesis during embryogenesis and for the establishment of the anterior-posterior axis. WLS is encoded by a gene which maps to human chromosome 1 and is expressed as multiple alternatively spliced isoforms. WLS promotes various cancers such as glioma tumourigenesis.

To place an order, please Click HERE.





