www.neobiolab.com info@neobiolab.com 888.754.5670, +1 617.500.7103 United States 0800.088.5164, +44 020.8123.1558 United Kingdom

Involucrin Human

Description: Involucrin Human Recombinant (aa 420-578) expressed in E.coli, shows a 41 kDa band on SDS-PAGE (Including GST tag). The Involucrin is purified by proprietary chromatographic techniques.

Catalog #:PRPS-519

For research use only.

Synonyms:Involucrin, IVL.

Source: Escherichia Coli.

Physical Appearance: Sterile Filtered clear solution.

Formulation:

Involucrin at 100

Stability:

Store vial at -20°C to -80°C. When stored at the recommended temperature, this protein is stable for 12 months. Please prevent freeze-thaw cycles.

Usage:

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Applications:

ELISA Inhibition Assays Western Blotting.

Introduction:

Involucrin is a soluble cytoplasmic protein precursor of the epidermal cornfied envelope that becomes cross-linked by transglutaminase during envelope assembly. Involucrin is expressed in a range of stratified squamous epithelia, including the cornea which lacks a distinct cornfied layer. The protein is a useful marker of terminal differentiation. It is tightly linked to the onset of differentiation and first expressed in the immediate suprabasal layers of the epidermis. Involucrin is mapped to 1q21 chromosome, among calpactin I light chain, trichohyalin, profillaggrin, loricrin, and calcyclin. Involucrins structure is composed of a conserved region of about 75 amino acid residues followed by two very variable length segments that contain glutamine-rich tandem repeats. The glutamine residues in the tandem repeats are the substrate for the tranglutaminase in the cross-linking reaction. The size of the protein varies from 285 residues (in dog) to 835 residues (in orangutan).

To place an order, please Click HERE.





