

BTAF1

Reactivity: Human Mouse Rat

Tested applications: WB IHC IF IP CHIP

Recommended Dilution: WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200 IP 1:50 - 1:200

ChIP 1:20 - 1:100

Calculated MW: 206kDa

Observed MW: Refer to Figures

Immunogen:

Recombinant protein of human BTAF1

Storage Buffer:

Store at -20. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Concentration:

1 mg/ml

Synonym:

MOT1; TAF172; TAFII170; TAF(II)170;

Catalog #: A5811

Antibody Type:

Polyclonal Antibody

Species: Rabbit

Gene ID: 9044

Isotype: IgG

Swiss Prot: O14981

Purity: Affinity purification

For research use only.

Background:

This gene encodes a TAF (TATA box-binding protein-associated factor), which associates with TBP (TATA box-binding protein) to form the B-TFIID complex that is required for transcription initiation of genes by RNA polymerase II. This TAF has DNA-dependent ATPase activity, which drives the dissociation of TBP from DNA, freeing the TBP to associate with other TATA boxes or TATA-less promoters.

To place an order, please [Click HERE](#).