

## ORM1 Human

**Description:**ORM1 Human Recombinant produced in E.coli is a single, non-glycosylated polypeptide chain containing 184 amino acids (19-201) and having a molecular mass of 21.7 kDa. The ORM1 is purified by proprietary chromatographic techniques.

**Catalog #:**PRPS-896

For research use only.

**Synonyms:**Orosomucoid 1, ORM, AGP1, OMD 1, AGP-A, alpha-1-acid glycoprotein 1.

**Source:**E.coli.

**Physical Appearance:**Sterile Filtered colorless solution.

**Amino Acid Sequence:**MQIPLCANLV PVPITNATLD QITGKWFYIA SAFRNEEYNK  
SVQEIQATFF YFTPKNKTEDT IFLREYQTRQ DQCIYNTTYL NVQRENGTIS RYVGGQEHFA  
HLLILRDTKT YMLAFDVNDE KNWGLSVYAD KPETTKEQLG EFYEALDCLR IPKSDVVYTD  
WKKDKCEPLE KQHEKERKQE EGES.

**Purity:**Greater than 90% as determined by SDS-PAGE.

**Formulation:**

The ORM1 solution (1mg/ml) contains 20mM Tris-HCl buffer (pH 8.0), 0.4M Urea and 5% glycerol.

**Stability:**

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.

**Usage:**

NeoBiolab's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

**Introduction:**

The acute phase plasma protein ORM1 synthesized by the liver mediates the interaction between blood cells and endothelial cells. In addition, together with haptoglobin and C reactive protein, ORM1 regulates the extravasation of the cells through infection and inflammation. Expression of ORM1 is induced by acute-phase stimulatory mediators such as bacterial lipopolysaccharides.

**To place an order, please [Click HERE](#).**